```
<VirtualHost *:80>
    # The ServerName directive sets the request scheme, hostname and port
that
    # the server uses to identify itself. This is used when creating
    # redirection URLs. In the context of virtual hosts, the ServerName
    # specifies what hostname must appear in the request's Host: header to
    # match this virtual host. For the default virtual host (this file) this
    # value is not decisive as it is used as a last resort host regardless.
    # However, you must set it for any further virtual host explicitly.
    #ServerName www.example.com

    ServerAdmin webmaster@localhost
    ServerName movementsarchive.org
    ServerAlias www.movementsarchive.org
    DocumentRoot /var/www/html/dokuwiki

    # Available loglevels: trace8, ..., trace1, debug, info, notice, warn,
    # error, crit, alert, emerg.
    # It is also possible to configure the loglevel for particular
    # modules, e.g.
    #LogLevel info ssl:warn

    ErrorLog /var/www/movementsarchive.org.error.log
    CustomLog /var/www/movementsarchive.org.access.log combined

    <LocationMatch "/(data|conf|bin|inc)/">
        Order allow,deny
        Deny from all
        Satisfy All
    </LocationMatch>

    # For most configuration files from conf-available/, which are
    # enabled or disabled at a global level, it is possible to
    # include a line for only one particular virtual host. For example the
    # following line enables the CGI configuration for this host only
    # after it has been globally disabled with "a2disconf".
    #Include conf-available/serve-cgi-bin.conf

RewriteEngine on
RewriteCond %{SERVER_NAME} =www.movementsarchive.org [OR]
RewriteCond %{SERVER_NAME} =movementsarchive.org
RewriteRule ^ https://%{SERVER_NAME}%{REQUEST_URI} [END,NE,R=permanent]
</VirtualHost>
```

From:

https://movementsarchive.org/ - **Κυπριακό Κινηματικό Αρχείο**
Cyprus Movements Archive
Kıbrıs Sosyal Hareket Arşivi

Permanent link:

https://movementsarchive.org/doku.php?id=wiki:adminsonly:vhost

Last update: **2025/07/15 13:46**